

UMVU 24W Series

Medical AC/DC Adaptor



▲ **UMVUU3024**



▲ **UMVUZ3024**



▲ **UMVUE3024**



▲ **UMVUK3024**



▲ **UMVUA3024**



▲ **UMVUR3024**



▲ **UMVUG3024**



▲ **UMVUF3024**



■ Please contact our sales department for safety standard of each model.



Safety Certificate



Reliability Guarantee



Energy Saving



ROHS 2



Medical Certification



LPS



EMC

Product Highlights

- Stability
- Compact Size
- Energy Efficiency
- Suit Medical Equipment, Health Device
- 2xMOPP/2xMOOP
- IEC/EN 60601-1-2

Efficiency

- Energy Efficiency Level VI (ErP / DoE)
- Meet COMMISSION REGULATION(EU) 2019/1782
- Meet DOE 10 CFR part 429 and 430

Protection

- Short Circuit Protection
- Over Voltage Protection
- Over Current Protection
- Over Temperature Protection (Optional)

Emissions

- FCC Part18 Class B
- VCCI Class B
- CE CISPR11 EN55011

Safety Syandard

- 60601-1
- PSE 別表第八

Immunity

- EN60601-1-2

Electrical Spec

Input					
Description	Min.	Typ.	Max.	Units	Comment
Voltage	90	100~240	264	Vac	
Frequency	47	50/60	63	Hz	

Environmental					
Description	Min.	Typ.	Max.	Units	Comment
Operating Temperature	0	-	40	°C	Free Convection,Sea Level
Storage Temperature	-20	-	65	°C	Free Convection,Sea Level
Operating Humidity	5	-	95	%RH	No Condensing
Storage Humidity	5	-	95	%RH	No Condensing


Typical model list

No.	DC Output Voltage	DC Output Current	Output Voltage Precision	Ripple	Noise	Average Active Efficiency	No-Load Power Consumption	Option/Remark
1	5.0V	3.0A	±5%	100mV	100mV	-	-	
2	5.9V	3.0A	±5%	100mV	100mV	-	-	
3	12.0V	2.0A	±5%	120mV	200mV	-	-	
4	15.0V	1.6A	±5%	150mV	200mV	-	-	
5	24.0V	1.0A	±5%	240mV	240mV	-	-	

■ Measurement Condition

1. Measurements shall be made with an oscilloscope with 20MHz bandwidth.
2. Outputs shall be bypassed at the connector with a 0.1uF ceramic disk capacitor and a 10uF electrolytic capacitor to simulate system loading.

Mechanical Spec



UMVUE3024 Series	UMVUK3024 Series
UMVUA3024 Series	UMVUR3024 Series
UMVUG3024 Series	UMVUF3024 Series

■ Please contact our sales department for details of each model ■